New Jersey Division of AIDS Prevention and Control Persons Living with HIV/AIDS as of June 30, 2002 Monmouth County Residents

_		Adult/Adolescent *		Pediat	_		_	Tota	
⊥.	Current HIV/AIDS Category	Cases		Cases	% 	_		ases	%
	AIDS-Any OI	218 15		13	4	1		231	16
	AIDS-CD4 Only	553 39		0)		553	38
	HIV Only	643 45		19 	59 		_	662	46
	Total	1414 100		32	100)		1446	100
	Current			Adult/					
2.	Age * Cases %	3. Race/Eth.		Cases		Cases		Cases	%
	<5 # #	White, Not His		550		7		557	39
	5-12 # #	Black, Not His	panic	668	47	24	75	692	48
	13-19 16 1	Hispanic		#	#	#	#	177	12
	20-29 64 4	Other/Unknown		#	#	#	#	20	1
	30-39 430 30								
	40-49 607 42	Total		1414	100	32	100	1446	100
	50+ 297 21								
	Unk. 0 0								
	Total 1446 100								
4.	Patient Group	A	dult/A	dolescer	ıt Traı	nsmiss	ion M	odes **	
		Males	% 		Female	es %		Tota	
	Men sex with men (MSM)	286				 O 0		28	
	Injection drug user (IDU)	286	34		219	9 39		50)5 36
	MSM/IDU	56	7		(0 0		5	66 4
	Heterosexual contact	115	14		249	9 44		36	54 26
	Risk not reported/other***	98			9:	3 17 		19	
	Total	841				1 100		140	
			_		_				
		Males	Peo %	diatric	Trans		n Mod	les Tota	al %
			•						
	Parent at risk/has AIDS/HIV	21				3 100		4	100
	Risk not reported/other***	0	-			0			0 0
	Total	21				3 100			14 100

NOTE: Includes only those persons known to be infected with HIV.

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- * Classification based on current age at the end of June 2002.
- ** 12 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.
- *** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of AIDS Prevention and Control AIDS Cases Reported as of June 30, 2002 Monmouth County Residents

Adult/Adolescent*

Total

Risk not reported/other***

				Adult/Ado.	Lescent"		Pedi	.atric"			10	Lai
1.	Disease Ca	ategory	Case	es (%)	Deaths (%)	Cases	(%)	Death	s (%)	Cases (웅)	Deaths (%)
	PCP		!	583 (28)	484 (83)	14	(33)	9	(64)	597 (28)	493 (83)
	Other OI v	w/o PCP	!	561 (27)	458 (82)	28	(67)	13	(46)	589 (28)	471 (81)
	KS Alone			34 (2)	25 (74)	0	(0)	0	(.)	34 (2)	25 (74)
	No Disease	e Listed	!	917 (44)	364 (40)	0	(0)	0	(.)	917 (43)	364 (40)
	Total		2	095 (100)	1331 (64)	42	(100)	22	(52)	2137 (1	00)	1353 (64)
						Adult/A	.dl*	Pediatr	ic*	Total		
2.	Age *	Cases	%	3. Race	Eth.	Cases	%	Cases	%	Cases	૪	
	Under 5	#	#	White	e, Not Hispanic	978	47	7	17	985	46	
	5-12	#	#	Black	x, Not Hispanic	928	44	30	71	958	45	
	13-19	8	0	Hispa	anic	180	9	5	12	185	9	
	20-29	282	13	Other	/Unknown	9	0	0	0	9	0	
	30-39	961	45									

Pediatric*

78 12

641 100

Total

2137 100

209

2093 100

10

	40-49	585	27	Total		2095	100	42	100	2137	10
	Over 49	259	12								
	Unknown	0	0								
	Total	2137	100								
4.	Patient Gro	up			Ad	ult/Adole	scent Transm	nissi	on Modes **		
					Males	%	Females	용	Total	용	
	Men sex wit	h men (M	ISM)		466	32	0	0	466	22	
	Injection d	rug user	(IDU)		635	44	304	47	939	45	
	MSM/IDU				101	7	0	0	101	5	
	Heterosexua	l contac	:t		119	8	259	40	378	18	

		des				
	Males	%	Females		Total	%
Parent at risk/has AIDS/HIV	20	95	23	100	43	98
Risk not reported/other***	#	5	0	0	#	2
Total	21	100	23	100	44	100

131 9

1452 100

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

^{*} Classification at time of AIDS diagnosis.

^{** #} patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

^{***} Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of AIDS Prevention and Control AIDS Cases Reported as of June 30, 2002 Monmouth County Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis	Number of Cases	Number of Deaths	Case-Fatality Rate
Before 1985	12	11	92%
1985	24	22	92%
1986	36	33	92%
1987	68	67	99%
1988	91	87	96%
1989	139	129	93%
1990	148	138	93%
1991	160	139	87%
1992	195	166	85%
1993	250	197	79%
1994	182	109	60%
1995	204	95	47%
1996	144	52	36%
1997	125	38	30%
1998	89	24	27%
1999	78	19	24%
2000	103	20	19%
2001	61	#	#%
2002	28	#	#%
Total	2137	1353	63%

[#] Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

New Jersey Division of AIDS Prevention and Control HIV INFECTION-not-AIDS Reports with Identifiers Reported as of June 30, 2002 Monmouth County Residents

1. Age *	Cases	%	2. Race/Ethnicity	Adult/A		Pediat Cases		Total Cases	%
Under 5 5-12 13-19 20-29	# # 10 186	# # 1 24	White, Not Hispanic Black, Not Hispanic Hispanic Other/Unknown	# 396 87 #	53 12	# 19 0 #	# 83 0 #	251 415 87 17	33 54 11 2
30-39 40-49 Over 49 Unknown	309 186 56	40	Total		100		100	770	100
Total	770	100							
3. Patient Gr	oup			lt/Adole: % 		Transmissi males %	on Modes ** Tot	al %	
Men sex wi Injection MSM/IDU Heterosexu Risk not r	drug user al contac	(IDU)	56	28 40 5 13		0 0 127 41 0 0 128 42 53 17	3	21 16 03 41 24 3 84 25 15 15	

	Pediatric Transmission Modes					
	Males	%	Females %	Total	%	
Parent at risk/has AIDS/HIV	10	100	13 100	23	100	
Risk not reported/other***	0	0	0 0	0	0	
Total	10	100	13 100	23	100	

439 100

308 100

747 100

NOTE: Includes only those persons known to be infected with HIV.

Total

- Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.
- ** 0 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.
- *** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

New Jersey Division of AIDS Prevention and Control HIV/AIDS Cases Reported as of June 30, 2002 Monmouth County Residents

			Adult/Adolescent *		Ped				Total					
1.	Current HI	IV/AIDS Ca	ategory		Cases	%	Case				Cas		हे	
	AIDS-Any C AIDS-CD4 C HIV Only	OI Only			# # 747			# #	 # # 34		12 9	20 17 70	32	
	Total					100		57					100	
2.	Age *			3.	Race/Eth.		Adult/A Cases		Ped Case			(To Cases	tal %
	Under 5 5-12 13-19 20-29	60 7 23 559	2 0 1 19		White, Not Black, Not Hispanic Other/Unkn	Hispanic Hispanic own	1224 1323 267	43 47 9		12 50 5	18 75 7 0		1236 1373 272 26	47 9 1
	40-49 Over 49	1283 686 289 0	24 10		Total		2840	100		67	100		2907	
	Total	2907	100											
4.	Patient Gr	-				Males	lt/Adoles %	F	emales	%	-		%	
	Men sex wi Injection MSM/IDU Heterosexu Risk not r	drug user	MSM) (IDU)			587 811 125 175 193	43 7 9		0 431 0 387 131	0 45 0		587 1242 125 562 324	44 4 20	

949 100

2840 100

	Pediatric Transmission Modes						
	Males	%	Females %	Total	%		
Parent at risk/has AIDS/HIV	30	97	36 100	66	99		
Risk not reported/other***	#	3	0 0	#	1		
Total	31	100	36 100	67	100		

1891 100

NOTE: Includes only those persons known to be infected with HIV.

- Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- * Classification at time of first HIV+/AIDS diagnosis.

Total

- ** 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.
- *** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of AIDS Prevention and Control HIV/AIDS Cases Reported as of June 30, 2002

Monmouth County Residents

5. $\mbox{HIV/AIDS}$ Cases by Year of First $\mbox{HIV/AIDS}$ Diagnosis.

Year of First HIV/AIDS Diagnosis	Cases	Known Dead	Case-Fatality Rate
Before 1985	20	19	95%
1985	50	40	80%
1986	87	71	82%
1987	108	95	88%
1988	143	124	87%
1989	221	181	82%
1990	240	184	77%
1991	239	155	65%
1992	289	154	53%
1993	280	137	49%
1994	235	92	39%
1995	215	72	33%
1996	179	53	30%
1997	161	32	20%
1998	109	15	14%
1999	81	16	20%
2000	122	14	11%
2001	92	#	#%
2002	36	#	#%
Total	2907	1461	50%

NOTE: Includes only those persons known to be infected with HIV.

[#] Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.